

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20
- 21
- 22
- 23
- 24
- 25

2

3

5

6
7
8
9
10

12

13

14

16
17
18
19
20

22
23
24
25

1
2 5. (Original) The system of claim 1, wherein the event prediction
3 module predicts the rendition times by performing linear interpolation.

4
5 6.-16. (Canceled)

6
7 17. (Original) A method comprising:
8 receiving an event notification request from an application, the event
9 notification request requesting a notification pertaining to events associated with
10 one or more media content samples that are to be rendered; and
11 predicting rendition times associated with the individual events.

12
13 18. (Original) The method of claim 17 further comprising storing
14 information associated with events and associated event rendition times in an
15 event list.

16
17 19. (Original) The method of claim 17 further comprising sending at
18 least one event notification to the application responsive to an associated event
19 having been predicted to occur at a particular rendition time.

20
21 20. (Original) The method of claim 17, wherein the act of predicting is
22 accomplished, at least in part, by taking into account one or more presentation
23 rates at which individual content samples are to be rendered.

1 21. (Original) The method of claim 17, wherein the act of predicting is
2 accomplished, at least in part, by performing at least one linear interpolation
3 operation.

4
5 22. (Original) One or more computer-readable media having computer-
6 readable instructions thereon which, when executed by one or more processors,
7 cause the one or more processors to:

8 receive an event notification request from an application, the event
9 notification request requesting a notification pertaining to events associated with
10 one or more media content samples that are to be rendered;

11 predict rendition times associated with the individual events; and

12 send at least one event notification to the application responsive to an
13 associated event having been predicted to occur at a particular rendition time.

14
15 23. (Original) The computer-readable media of claim 22, wherein the
16 computer-readable instructions cause the one or more processors to predict
17 rendition times by taking into account one or more presentation rates at which
18 individual content samples are to be rendered.

19
20 24. (Original) The computer-readable media of claim 22, wherein the
21 computer-readable instructions cause the one or more processors to predict
22 rendition times by performing at least one linear interpolation operation.

23
24 25.-42. (Canceled)